Daily Safety Inspection WCMCA Head Start/ Early Head Start

Complete safety inspection daily or per socialization event. Person completing the checklist initials in the box aligned with the week/day of review. Submit one form monthly (per classroom/ EHS socialization site) by the 5th of the following month. Concerns should be addressed with the Head Start Supervisor and resolved by FES/classroom team immediately whenever possible.

1. I	✓ In go	rp edges, splin	cked for missi ters and rough	ng or broken surfaces, st	parts/choking hazards, protrusion on nuts/lability of handholds/railings, visible cracks)	
	✓ Activ	e Supervision i	in place.		es are covered/tamper-resistant, cords are so and plan accordingly (ice, uneven ground, pa	
wk	M		W	TH	Corrective Action Needed:	Notes:
1		-			Corrective Action Needed.	
2					-	
3					-	
					Date of Corrective Action Taken:	
4					_	
5						
	✓ Clea	ducts are EPA c orly marked wit ed out of reach	h contents/dat			
wk	M	T	W	TH	Corrective Action Needed:	Notes:
1						
2					7	
3					-	
					Data of Corrective Action Taken.	
4					Date of Corrective Action Taken:	
4					Date of Corrective Action Taken:	
5	lazardayı	Masta			Date of Corrective Action Taken:	
5	2 To	throom sinks, t ilets are flushe	d immediately	after use, si	Date of Corrective Action Taken: d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo	
5 3. H	? Ba? To	throom sinks, t ilets are flushe	d immediately	after use, si	d diapering area are washed and properly di nks drain properly.	
5	? Ba? To? Wa	throom sinks, t ilets are flushe aste receptacle	d immediately s are lined, lea	after use, si k-proof, and	d diapering area are washed and properly di nks drain properly. I securely stored with covers. Waste is remo	ved daily,
5 3. H	? Ba? To? Wa	throom sinks, t ilets are flushe aste receptacle	d immediately s are lined, lea	after use, si k-proof, and	d diapering area are washed and properly di nks drain properly. I securely stored with covers. Waste is remo	ved daily,
5 3. H	? Ba? To? Wa	throom sinks, t ilets are flushe aste receptacle	d immediately s are lined, lea	after use, si k-proof, and	d diapering area are washed and properly di nks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed:	ved daily,
5 3. H	? Ba? To? Wa	throom sinks, t ilets are flushe aste receptacle	d immediately s are lined, lea	after use, si k-proof, and	d diapering area are washed and properly di nks drain properly. I securely stored with covers. Waste is remo	ved daily,
5 3. H	? Ba? To? Wa	throom sinks, t ilets are flushe aste receptacle	d immediately s are lined, lea	after use, si k-proof, and	d diapering area are washed and properly di nks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed:	ved daily,
5 3. H	2 Ba 2 To 2 W:	throom sinks, tilets are flushe aste receptacle	d immediately s are lined, lea W	after use, si k-proof, and TH	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken:	ved daily,
5 3. H	P Ba P To P Wi	throom sinks, tilets are flushe aste receptacle T th: (Medicat	d immediately s are lined, lea W	after use, si k-proof, and TH	d diapering area are washed and properly dinks drain properly. It securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken:	ved daily, Notes:
5 3. H	P Ba P To P W: M	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included)	d immediately s are lined, lea W cion-Allergy des authorizati	after use, si k-proof, and TH Prevention	d diapering area are washed and properly dinks drain properly. It securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain	ved daily, Notes: er and not expired.
5 3. H	Page 12 Ba Page 12 Windows Page 13 Pag	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included and a	d immediately is are lined, lead www.	after use, si k-proof, and TH Prevention on from partion is poste	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain d in prominent location in classroom where	ved daily, Notes: er and not expired. food is served.
5 3. H	P Ba P To P W: M	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included)	d immediately s are lined, lea W cion-Allergy des authorizati	after use, si k-proof, and TH Prevention	d diapering area are washed and properly dinks drain properly. It securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain	ved daily, Notes: er and not expired.
5 3. H 1 2 3 4 5 4. (Page 12 Ba Page 12 Windows Page 13 Pag	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included and a	d immediately is are lined, lead www.	after use, si k-proof, and TH Prevention on from partion is poste	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain d in prominent location in classroom where	ved daily, Notes: er and not expired. food is served.
5 3. H wk 1 2 3 4 5 4. (Page 12 Ba Page 12 Windows Page 13 Pag	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included and a	d immediately is are lined, lead www.	after use, si k-proof, and TH Prevention on from partion is poste	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain d in prominent location in classroom where	ved daily, Notes: er and not expired. food is served.
5 3. H 1 2 3 4 5 4. (Page 12 Ba Page 12 Windows Page 13 Pag	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included and a	d immediately is are lined, lead www.	after use, si k-proof, and TH Prevention on from partion is poste	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain d in prominent location in classroom where	ved daily, Notes: er and not expired. food is served.
5 3. H wk 1 2 3 4 5 4. (Page 12 Ba Page 12 Windows Page 13 Pag	throom sinks, tilets are flushe aste receptacle T th: (Medicatedication included and a	d immediately is are lined, lead www.	after use, si k-proof, and TH Prevention on from partion is poste	d diapering area are washed and properly dinks drain properly. I securely stored with covers. Waste is remo Corrective Action Needed: Date of Corrective Action Taken: n/Response) ent. Is properly stored, in its original contain d in prominent location in classroom where Corrective Action Needed:	ved daily, Notes: er and not expired. food is served.