WCMCA Head Start Cleaning/Sanitizing/Disinfecting Guidelines and Schedule

Adapted from: Infectious Diseases in Child Care by Hennepin County Human Services and Public Health and Caring for Our Children: National Health and Safety Performance Standards

ITEM/AREA	HOW OFTEN	CLEAN	DISINFECT	SANITIZE
Child Areas			<u> </u>	
Shared Objects (mouthed)	At least daily when soiled	X		Х
Thermometers	Use contactless and between each child	Х		Х
Tabletops	Before and after each food activity and when soiled	Х		Х
Cots/Mats	Weekly/before use by another child	Х		Х
Water play tables	Before and after each use	Х	Х	
Play Clothes, washable cloth toys	Monthly	X launder		
Sheets/Bedding for Cots and Mats	Weekly ;before use by another child	X launder		
Play activity centers	Daily	Х		
Toilet/Diapering Areas				
Diaper Changing Area	After each use	Х	Х	
Toilet seats, bowls, handles and door knobs	Daily and when visibly soiled	Х	Х	
Handwashing sinks, faucets, counters,	Daily and when soiled	Х	Х	
floors, door knobs, soap dispensers				
General				
Mobs and cleaning rags	After each use	Х	Х	
Carpet	Vacuum daily. Spot clean/disinfect following body fluid spill	Х	Following body fluid spill	
Surfaces and objects contaminated with blood, urine, vomit or stool	Immediately after each soiling	Х	Х	X If mouthed item
Floors	Vacuum or sweep and mop daily when soiled.	Х	Х	
ating/Food Preparation Area				
Food preparation surfaces	Before and after food preparation or service	Х		Х
Dishes and Utensils	Between each use	Х		X dishwasher or 3 compartment sink
Refrigerator	Monthly	Х		

HOW TO MIX BLEACH SOLUTIONS:

Bleach Solution 1 Disinfectant (For hard surfaces): 2.5 tablespoons(TBS) bleach to 1 gallon of cool water OR 2 teaspoons bleach 1 quart water Bleach Solution 2 Sanitizer (Toys, food contact surfaces, etc.): 1 teaspoons bleach to 1 gallon cool water OR 1/4 teaspoon bleach to 1 quart water

- ✓ Make bleach solutions fresh daily, label with 1. date and 2. contents
- ✓ Date bleach bottle when opened. Do not keep longer than 30 days
- ✓ Date bleach when purchased. Do not keep longer than 3 months

- ✓ Always follow instructions exactly
- ✓ Store bleach bottles and solutions out of the reach of children
- ✓ NEVER mix bleach with any other products

WCMCA Head Start Cleaning/Sanitizing/Disinfecting Guidelines and Schedule Adapted from: Infectious Diseases in Child Care by Hennepin County Human Services and Public Health and Caring for Our Children: National Health and Safety Performance Standards

- ✓ Make bleach solutions fresh daily, label with 1. date and 2. contents
- ✓ Date bleach bottle when opened. Do not keep longer than 30 days
- ✓ Date bleach when purchased. Do not keep longer than 3 months

- ✓ Always follow instructions exactly
- ✓ Store bleach bottles and solutions out of the reach of children
- ✓ NEVER mix bleach with any other products

WCMCA Head Start Cleaning/Sanitizing/Disinfecting Guidelines and Schedule Adapted from: Infectious Diseases in Child Care by Hennepin County Human Services and Public Health and Caring for Our Children: National Health and Safety Performance Standards

HOW TO MIX BLEACH SOLUTIONS:

Bleach Solution 1 Disinfectant (For hard surfaces): 2.5 tablespoons bleach to 1 gallon of water **OR** 2 tablespoons bleach 1 quart water **Bleach Solution 2 Sanitizer (Toys, food contact surfaces, etc.)**: 1 teaspoons bleach to 1 gallon cool water **OR** 1/4 teaspoon bleach to 1 quart water